08/983695 Page 1 of 2





CONTACT US FOR ADVERTISING INFO

Help

- New Search
- Thesaurus
- Site Map



Thesaurus

Main Entry: **tribe**Pronunciation: 'trlb
Function: noun

Etymology: Middle English, from Latin tribus, a division of the Roman people, tribe

Date: 13th century

1 a: a social group comprising numerous families, clans, or generations together with slaves, dependents, or adopted strangers b: a political division of the Roman people orig. representing one of the three original tribes of ancient Rome c: PHYLE

2: a group of persons having a common character, occupation, or interest

3: a category of taxonomic classification ranking below a subfamily; *also*: a natural group irrespective of taxonomic rank <the cat *tribe*> <rose *tribe*>

		000000000000000000000000000000000000000
)	Search
Dictionary Look Up:	1	

Type in your word or phrase and click Search. Click on HELP for search tips.

Thesaurus Symbol Key

* generally or often considered vulgar || usage restricted; consult a dictionary for more information

For further explanation of these symbols see the Thesaurus Symbol Guide.

Dictionary Pronunciation Key

- \&\ as a and u in abut
- \[^&]\ as e in kitten
- \&r\ as ur and er in further
- \a\ as a in ash
- \A\ as a in ace
- \ä\ as o in mop

- \e\ as e in bet
- \E\ as ea in easy
- \g\ as g in go
- \i\ as i in hit
- \I\ as i in ice
- \j\ as j in job
- \[ng]\ as ng in

- \o\ as aw in law
- \oi\ as oy in boy
- \th\ as th in thin
- \[th_]\ as th in the
- \ü\ as oo in loot
- \u\ as oo in foot

"B"



Wheat Genetics Resource Center

Wheat Taxonomy

Genera of the Triticeae as recognized by various taxonomists after 1930.

Representative generic treatments published after 1930. Nomenclatural errors have been corrected. Asterisked treatments are limited in either regional or taxonomic scope. Names in adjacent, similarly shaded cells within a column were considered congeneric by the author concerned.

Table provided by Mary Barkworth, Utah State University, Logan, UT.

	Nevski	Melderi	Pilger	Dewey *	Á. Löve	Tzvelev	Kellog
	1934	s 1947	1954	1984	1984, 1986	1987	1989
Elymus		*		•		>>	≫ .
Roegneria	(4)						
Terrella	(20)	3				39 -	
Hysterix	**	*	**			*	
Sitanion	Q	*	.			Q	
Anthosachne	(4)	**					
Australopyrum			*		*	>>	
Psathyrostachys	**	₩.	*	*	**	*	**
Leymus	Q	*	**	*	**	*	•
Aneurolepidium	(2)						
Malacurus	*		*				
Pascopyrum				*	*	*	*

Ctorogtantus		1	·	V][1
Stenostachys		Q			*	*	
Agropyron	(4)	4	Q	*	**	(4)	**
Pseudoroegneria				*	**		*
Elytrigia	*	*		*	*	*	₩.
Lophopyrum					**	*	*
Thinopyrum				*	· · · · · · · · · · · · · · · · · · ·	₩.	*
Trichopyrum	, ,				₩.		
Hordum	₩.	**	**	₩.	*	*	*
Critesion	**			*			
Taeniatherum	**	*	**	*	**	**	*
Hordelymus	(2)	3	*		>	***	
Crithopsis		*	*		₩.		1
Heteranthelium	Q	*	*		2	*	₩.
Dasypyrum	**	*	*		>>	(2)	*
Secale	(2)	*	*	*	₩.	***	*
Eremopyrum	**	*	*	*	. 💘	*	*
Henrardia	*			*	*		
Amblyopyrum		*	₩.		**	(
Aegilops	(2)	*			2 1	3	***
Crithodium			,		*		₩.
Triticum	*	*	₩.		*	*	Q
Australopyrum					*	(3)	(3)

	<u> </u>		L·		
Festucopsis			*	*	*
Peridictyon					*

1 Löve recognized Gigachilon, Cylindropyrum, Sitopsis, Paropyrum or Patopyrum, Gastropyrum, Aegilonearum, Orrhopygium, Chennapyrum, Comopyrum, Aegilamma, Aegilopoides, and Kiharapyrum as segregates of Aegilops but they have rarely, ef ever, been accepted.

Home Search What's New Help Comments	(5)	*
		▩

Home | Search | What's New | Help | Comments Kansas State University | Wheat Genetics Resource Center 24 August, 1999.